ELSEVIER

Forensic Science International
Vol. 190, Nos. 1–3, 10th September, 2009

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts: Bulletin Signaletique: CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts: Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Medline/Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index; PubMed; Scopus.*

Research Articles

Mass and NMR spectroscopic characterization of 3,4-methylenedioxypyrovalerone: A designer drug with α-pyrrolidinophenone structure
F. Westphal, T. Junge, P. Rösner, F. Sönnichsen and F. Schuster 1–8

Quantitative structure–activity relationship (QSAR) methodology in forensic toxicology: Modeling postmortem redistribution of structurally diverse drugs using multivariate statistics
C. Giaginis, A. Tsantili-Kakoulidou and S. Theocharis 9–15

Distribution of methamphetamine and amphetamine in drug abusers' head hair
S. Lee, E. Han, Y. Park, H. Choi and H. Chung 16–18

Detection of diatom in formalin-fixed tissue by proteinase K digestion
T. Takeichi and O. Kitamura 19–23

Chronologic and geographic variability of neurovascular structures in the human mandible
X. Liang, R. Jacobs, L.S. Corpas, P. Semal and I. Lambrichts 24–32

Comparison of simulated human dermal bitemarks possessing three-dimensional attributes to suspected biters using a proprietary three-dimensional comparison
S. Martin-de-las-Heras and D. Tafur 33–37

Forensic imaging of projectiles using cone-beam computed tomography
C. von See, K.-H. Bormann, P. Schumann, F. Goetz, N.-C. Gellrich and M. Rücker 38–41

Quantitative colour analysis of beach and dune sediments for forensic applications: A Portuguese example
A. Guedes, H. Ribeiro, B. Valentim and F. Noronha 42–51

Elemental analysis of white cotton fiber evidence using solution ICP-MS and laser ablation ICP-MS (LA-ICP-MS)
J.M. Gallo and J.R. Almirall 52–57

Medical malpractice as reflected by the forensic evaluation of 4450 autopsies
B. Madea and J. Preuß 58–66

Medical negligence in drug associated deaths
B. Madea, F. Musshoff and J. Preuss 67–73

Doxepin and nordoxepin concentrations in body fluids and tissues in doxepin associated deaths
A. Gronewold, A. Dettling, H.T. Haffner and G. Skopp 74–79

Lactate and pH evaluation in exhausted humans with prolonged TASER X26 exposure or continued exertion
J.D. Ho, D.M. Dawes, J.B. Cole, J.C. Hottinger, K.G. Overton and J.R. Miner 80–86

Post-mortem investigation of calcium content in liver, heart, and skeletal muscle in accidental hypothermia cases
M. Jakubeniene, A. Irnius, G.A. Chaker, J.M. Paliulis and A. Bechelis 87–90

Detection of human blood by immunoassay for applications in forensic analysis
I.P. Hurley, R. Cook, C.W. Laughton, N.A. Pickles, H.E. Ireland and J.H.H. Williams 91–97

Online extra

Case Reports

Fatal asphyxia due to laryngomucocele doi:10.1016/j.forsciint.2009.05.002
K. Törő, M. Kardos and G. Dunay e1–e4

(Contents continued on page I)

Additional material available online.

0379-0738(20090910)190:1/3;1-Q

08021

ELSEVIER

Forensic Science International
Vol. 190, Nos. 1–3, 10th September, 2009

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts: Bulletin Signaletique: CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts: Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Medline/Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index; PubMed; Scopus.*

Research Articles

Mass and NMR spectroscopic characterization of 3,4-methylenedioxypyrovalerone: A designer drug with α-pyrrolidinophenone structure
F. Westphal, T. Junge, P. Rösner, F. Sönnichsen and F. Schuster 1–8

Quantitative structure–activity relationship (QSAR) methodology in forensic toxicology: Modeling postmortem redistribution of structurally diverse drugs using multivariate statistics
C. Giaginis, A. Tsantili-Kakoulidou and S. Theocharis 9–15

Distribution of methamphetamine and amphetamine in drug abusers' head hair
S. Lee, E. Han, Y. Park, H. Choi and H. Chung 16–18

Detection of diatom in formalin-fixed tissue by proteinase K digestion
T. Takeichi and O. Kitamura 19–23

Chronologic and geographic variability of neurovascular structures in the human mandible
X. Liang, R. Jacobs, L.S. Corpas, P. Semal and I. Lambrichts 24–32

Comparison of simulated human dermal bitemarks possessing three-dimensional attributes to suspected biters using a proprietary three-dimensional comparison
S. Martin-de-las-Heras and D. Tafur 33–37

Forensic imaging of projectiles using cone-beam computed tomography
C. von See, K.-H. Bormann, P. Schumann, F. Goetz, N.-C. Gellrich and M. Rücker 38–41

Quantitative colour analysis of beach and dune sediments for forensic applications: A Portuguese example
A. Guedes, H. Ribeiro, B. Valentim and F. Noronha 42–51

Elemental analysis of white cotton fiber evidence using solution ICP-MS and laser ablation ICP-MS (LA-ICP-MS)
J.M. Gallo and J.R. Almirall 52–57

Medical malpractice as reflected by the forensic evaluation of 4450 autopsies
B. Madea and J. Preuß 58–66

Medical negligence in drug associated deaths
B. Madea, F. Musshoff and J. Preuss 67–73

Doxepin and nordoxepin concentrations in body fluids and tissues in doxepin associated deaths
A. Gronewold, A. Dettling, H.T. Haffner and G. Skopp 74–79

Lactate and pH evaluation in exhausted humans with prolonged TASER X26 exposure or continued exertion
J.D. Ho, D.M. Dawes, J.B. Cole, J.C. Hottinger, K.G. Overton and J.R. Miner 80–86

Post-mortem investigation of calcium content in liver, heart, and skeletal muscle in accidental hypothermia cases
M. Jakubeniene, A. Irnius, G.A. Chaker, J.M. Paliulis and A. Bechelis 87–90

Detection of human blood by immunoassay for applications in forensic analysis
I.P. Hurley, R. Cook, C.W. Laughton, N.A. Pickles, H.E. Ireland and J.H.H. Williams 91–97

Online extra

Case Reports

Fatal asphyxia due to laryngomucocele doi:10.1016/j.forsciint.2009.05.002
K. Törő, M. Kardos and G. Dunay e1–e4

(Contents continued on page I)

Additional material available online.

0379-0738(20090910)190:1/3;1-Q

08021

(Contents continued from outside back cover)

Fatal case of Rapunzel syndrome in neglected child doi:10.1016/j.forsciint.2009.05.008
E. Matějů, S. Duchaňová, P. Kovac, N. Moravanský and D.J. Spitz e5–e7
Unusual suicides of young women with tentative cuts and fatal neck injuries by chain saw and circular saw doi:10.1016/j.forsciint.2009.05.019
W. Grellner and J. Wilske e9–e11

Rapid Communication
Brain biomarkers for identifying excited delirium as a cause of sudden death doi:10.1016/j.forsciint.2009.05.012
D.C. Mash, L. Duque, J. Pablo, Y. Qin, N. Adi, W.L. Hearn, B.A. Hyma, S.B. Karch, H. Druid and C.V. Wetli e13–e19

Letters to the Editor
About the origin of the sinus node artery doi:10.1016/j.forsciint.2009.06.002
A. Porzionato, V. Macchi, A. Parenti and R. De Caro e21–e21
Response to "About the origin of the sinus node artery" [Forensic Sci. Int. (2009)] doi:10.1016/j.forsciint.2009.06.001
G. Gavrielatos and C.E. Nerantzis e23–e23

Additional material available online.